

## trans.exe Exercises for Chapter trans

Exercise trans.apiarian

A control system has dominant closed-loop poles at  $-8 \pm j3$ . Under the second-order assumption, what is its settling time?

Exercise trans.pericentral

Consider the block diagram of Fig. exe.1. Let the plant  $G$  have transfer function

$$G(s) = \frac{9}{(s + 4)(s^2 + 3s + 9)}, \tag{1}$$

the feedback transfer function  $H(s) = 1$ , and the controller  $C$  have transfer function

$$C(s) = K \tag{2}$$

where  $K \in \mathbb{R}$  is some gain.

1. Determine the closed loop transfer function  $Y(s)/R(s)$ .
2. For  $K = 4$  and a unit step input to the closed-loop system, what are the second-order approximations of the peak time  $T_p$ , rise time  $T_r$ , settling time  $T_s$ , and percent overshoot %OS?
3. For  $K = 4$  and a unit step input to the closed-loop system, simulate to estimate peak time  $T_p$ , rise time  $T_r$ , settling time  $T_s$ , and percent overshoot %OS.
4. Compare the second-order approximations with the simulated results. Explain the differences and similarities.




Figure exe.1: a block diagram with a controller  $C(s)$ .

Exercise trans.rest

For a second order system with a 10% overshoot and a 0.1 second rise time, find: \_\_\_\_\_/10 p.

1. the damping ratio  $\zeta$ ,

2. the natural frequency  $\omega_n$ , and
3. the location of the closed loop poles  $\Psi$ .

## Steady–state response performance

After the transient response has settled—that is, reached steady-state—the system may or may not be in a desirable state. If the response asymptotically approaches any state other than that commanded, it is said to have steady-state error. These arise from three primary sources:

1. nonlinearities, like backlash in gears—we won't explore this one;
2. disturbances, like those from the environment; and
3. input (command) type and the plant dynamics.

We will focus our attention on [item 3](#); [item 2](#) is similar.